Our company focuses on the design, developing, manufacturing & exporting various kinds of washing machines, car washing tools, agricultural sprinklers and gardening products, etc. We will take our best effort to offer you high quality products & OEM items at possible lowest costs.



Shanghai Aijet Cleantech Co. Ltd

Add: Room 1002, No.32 Palm Plaza, No. 258 Xinzhuan Road, Songjiang，
Shanghai, China Post Code: 201612
Tel: +(86) 021 5763 2903, E-mail: torinta@188.com; info@hygartech.com

Profile 公司简介

Shanghai Aijet Cleantech Co. Ltd was founded in 2023. The company focuses on design, developing, manufacturing and exporting various of cleaners, car washing tools, gardening and agricultural irrigation products, such as high pressure cleaner, washing gun, spray lance, quick connect hose coupling, hose cart and garden valve for industrial, commercial cleaning, house-hold and agricultural uses.

“Excellent products, satisfactory service, customer focus” is our commitment. Product quality is our lifeline. We possess a quality-control team who works from start to the end, having each products undergone multiple rounds of individual quality control.

The advanced manufacturing technology, we have combines of industrial engineering & plumbing science - real expertise one trust. We endeavor to offer you best quality products at possible lowest costs. OEM orders are welcome.

上海爱洁特清洗技术有限公司成立于2023年，是一家专业生产制造和出口各种地面清洗水枪，花园水枪，农业浇水灌溉水枪，铜喷嘴，软管快速接头，软管收纳器，花园喷水三脚架，花园阀，水嘴等五金及户外产品。这些产品及配件在工业，商用，园林五金，农业灌溉等具有广泛应用。公司凭着用户至上的原则，致力于为客户生产提供优质，安全，可靠的产品及服务。公司也可以根据客户要求生产定制产品，实现互利共赢。



A+Clean 爱洁特

Index 目录页面索引 Page No. (页面)

1. Brass Industrial Blue Washing Down Gun 德国地面清洗蓝水枪 P. 01



2. Brass High Pressure Washing Gun 德国机用高压清洗水枪 P. 02



3. Metal Garden Hose Spray Nozzle 家用花园水枪 P. 03 - 04



4. Metal Soft-Rain Spray Lance 农业用浇水长水枪 P. 05 - 06



5. Hose Holder, Hose Kit, Hose Reel cart & PVC Hose 绕管架,绕管车及花园软管 P. 07 - 09



6. Soft-Rain Sprayhead, Repair Parts for Spray Lance 水枪喷头, 水枪延长管及配件 P. 10 - 11



07. Brass Hose Coupling, Hose Connects & Fittings 黄铜快速软管接头,铜管件 P. 12 - 15



08. Garden Click Coupling & Hose Connects, Valve& Sprinkler 花园快速软管接头,花园阀，喷水器 P. 16 - 17



09. Garden Valve, Filter, Tap, Suction Valve & Ball Valve 花园阀,过滤阀,水嘴，止回阀，球阀 P. 18 - 21



10. Brass Hydraulic Valve, Fire Reel, Fire Nozzle, Storz Coupling 德国消防阀,转盘,消防水枪及配件 P. 22



Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, China E-mail: torinta@188.com

Industrial Washing Down Gun for Hot Water 德国热水工业清洗水枪

Art No.	Description & Size	Inner / Master	Code for USA



Brass Industrial Washing Down Gun 德国工业清洗蓝水枪

Technical Features:

Low Lead Brass construction, CW617N EN 12165-1998. ANSI304 stainless steel stem with double O-Ring packing and trigger handle. Heavy polymer elastomer cover & house protect user against injure & impact.Rotate screw to adjust water spray from stop, mist, broad spray & hard jet.Working temperature Max. up to 95℃. Working pressure: Max. 25 Bar.

德国热水工业清洗水枪，使用欧标CW617N黄铜制造，不锈钢阀杆，食品级O-型圈密封，适用各种需要冷/热水清洗等场景，如工业厂房，中央厨房，畜牧场，泳池，建筑工地，汽车船舶等公共设施。最高使用温度达95℃，最高使用压力2.5MPa.

51-850	1/2" Female Thread	1	12	21-850



Brass Washing Gun with Trigger Safty Loop 德国带安全护框清洗水枪

Technical Features:

Low Lead Brass construction, CW617N EN 12165-1998.S/S safey loop to prevent hot water from injure. ANSI304 stainless steel stem with O-Ring packing and trigger handle.Heavy polymer elastomer cover & house protect user against injure & impact. Rotate screw to adjust water spray from stop, mist, broad spray & hard jet.Working temperature Max. up to 95℃. Working pressure: Max. 25 Bar.

德国热水工业清洗水枪，使用欧标CW617N黄铜制造，不锈钢阀杆，食品级O-型圈密封，适用各种需要冷/热水清洗的场景。如工业厂房，中央厨房，畜牧场，泳池，建筑工地，汽车船舶等设施。最高使用温度达95℃，最高使用压力2.5MPa. 带手柄保护框装置可以在使用时防止手柄开关碰到异物喷出热水造成意外伤害。

51-855	1/2" Female Thread	1	12	21-855



Brass Washing Gun with Extended Nozzle 带安全护框加长型清洗水枪

Technical Features:

Low Lead Brass construction, CW617N EN 12165-1998.S/S safey loop to prevent hot water from injure. ANSI304 stainless steel stem with O-Ring packing and trigger handle. Heavy polymer elastomer cover & house protect user against injure & impact. Rotate screw to adjust water spray from stop, mist, broad spray & hard jet. Working temp. Max.: 95℃, pressure Max.:25 Bar.

德国热水工业清洗水枪，使用欧标CW617N黄铜制造，不锈钢阀杆，食品级O-型圈密封，适用各种需要冷/热水清洗的场景。如工业厂房，中央厨房，畜牧场，游泳池，建筑工地，汽车船舶等公共设施。最高使用温度达95℃，最高使用压力2.0MPa. 带手柄框装置可以防止手柄开关碰到异物喷出热水造成意外伤害. 加长型出水口。

51-860	1/2" Female Thread	1	12	21-860



Stainless Steel Industrial Wash Down Gun 德国不锈钢工业清洗水枪

Technical Features:

Stainless steel construction, ANSI304 or 316L,S/S material prevent wash down gun from hard water or detergent corrosion. ANSI304 stainless steel stem with O-Ring packing and trigger handle.Heavy polymer elastomer cover & house to protect user against injure & impact. Rotate screw to adjust water spray from stop, mist, broad spray & jet. Working temp. Max.:95℃,pressure Max.:25 Bar.

德国热水工业清洗水枪，使用304或316不锈钢制造，不锈钢阀杆，食品级O-型圈密封，适用各种需要冷/热水清洗的场景。如工业厂房，中央厨房，畜牧场，游泳池，建筑工地，汽车船舶等公共设施。最高使用温度达95℃，最高使用压力2.0MPa. 不锈钢制造可以硬水及洗涤剂腐蚀。

51-880	1/2" Female Thread	1	12	21-880

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, China E-mail: torinta@188.com

Brass High Pressure Washing Gun 高压清洗机用水枪

Art No.	Description & Size	Inner	Master	Code for USA



Brass High Pressure Washing Gun 便携式机用高压水枪

Technical Features:

Forging brass construction, CW617N.Trigger operation with safty loop & trigger lock to prevent from injury of running. Full plastic shell protects against hot or cold water injure or impact. PTFE teflon seal and stainless steel spring & tube in high tempreture use. Rotating nozzle to control water spray from Jet to flat spray. Working temp. Max. up to 65℃. Working pressure: Max. 30MPa.

高压清洗机用水枪，使用欧标CW617N黄铜制造，不锈钢珠+弹簧压制阀门，塑料王密封，适用各种需要高压冷/热水清洗的场景。如工业厂房，中央厨房，畜牧场，地面，汽车，船舶等。最高使用温度达65℃，最高使用压力30.0MPa.

51-960	3/8" Female Thread	1	12	21-960



Brass High Pressure Washing Gun - Long Ext. 通用型机用高压水枪

Technical Features:

Forging brass construction, CW617N.Trigger operation with safty loop & trigger lock to prevent from injury of running. Full plastic shell protects against hot or cold water injure or impact. PTFE teflon seal and stainless steel spring & tube in high tempreture use. Set of five-piece replacable nozzle to control spray of water. Working temp. Max. up to 65℃. Working pressure: Max. 30MPa.

高压清洗机用水枪，使用欧标CW617N黄铜制造，不锈钢珠+弹簧压制阀门，塑料王密封，适用各种需要高压冷/热水清洗的场景。如工业厂房，中央厨房，畜牧场，地面，汽车，船舶等。配置5种可替换出水口. 最高使用温度65度，使用压力30MPa.

51-961	3/8" Female Thread	1	12	21-961
51-962	3/8" Female Thread,Long Ext. Tube	1	12	21-962



Brass High Pressure Washing Gun - Extra Long Ext. 加长型机用高压水枪

Technical Features:

Forging brass construction, CW617N.Trigger operation with safty loop & trigger lock to prevent from injury of running. Full plastic shell protects against hot or cold water injure or impact. PTFE teflon seal and stainless steel spring & tube in high tempreture use. Set of five-piece replacable nozzle to control spray of water. Working temp. Max. up to 65℃. Working pressure: Max. 30MPa.

高压清洗机用水枪，使用欧标CW617N黄铜制造，不锈钢珠+弹簧压制阀门，塑料王密封，适用各种需要高压冷/热水清洗的场景。如工业厂房，中央厨房，畜牧场，地面，汽车，船舶等交通工具的清洗。配置5种可替换出水口，加长出水管，可以远离人身造成伤害，并且有强的冲击力。最高使用温度达65℃ 使用压力30.0MPa.

51-963	3/8" Female Thread, Regular type	1	12	21-963
51-964	3/8" Female Thread, Heavy duty	1	12	21-964



Telescopic Washing Wand & Gutter Cleaner 五节伸缩延长管高压水枪

Technical Features:

Forging brass construction, CW617N.Trigger operation with safty loop & trigger lock to prevent from injury. Full plastic shell protects against hot or cold water injure or impact. Five-piece replacable nozzle. Working temp. Max. up to 65℃. Working pressure: Max.30MPa.S/S telescopic ext. tube with lining harness belt.

高压清洗机用水枪，使用欧标CW617N黄铜制造，不锈钢珠+弹簧压制阀门，塑料王密封，适用各种需要高压冷/热水清洗的场景。如工业厂房，别墅外墙等高空清洗。配置5种可替换出水口，不锈钢耙子可以清理水沟堵塞. 五节伸缩管可调最长达7.2米，配腰背带作业，省力又安全. 最高使用温度达65℃. 使用压力30MPa.

51-965	3/8" Female Thread	1	5	21-965

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, ChinaE-mail: torinta@188.com

Garden Hose Spray Nozzle 常压花园洗车水枪

Art No.	Description & Size	Inner / Master		Code for USA



Metal Front Trigger Hose Spray Nozzle 扳机控制通用金属水枪

Technical Features:

Aluminum and brass construction. Metal valve with Long life in high quality. Metal front trigger control with comfortable grip holder. Double O-ring seal. Rotate brass nozzle to adjust spray: Stop, Fine Mist, Broad spray & Jet. Working temp. Max up to 65℃.Working pressure Max:20Bar.

前手柄扳机控制铜铝水枪，铜阀杆，O-型圈密封，扳机开关操作方便，橡塑胶套，手感舒适，转动头部可以调节水花，适合不同用途. 适合洗车，工厂，畜牧场，船泊，建筑工地，路面清洗，园艺浇灌等场景。最高使用温度65℃，使用压力2MPa.

51-310	3/4" Female thread	5	40	27-310



Metal Eight-Function Trigger Spray Nozzle 扳机控制八功能金属水枪

Technical Features:

Aluminum and brass construction. Metal valve with Long life in high quality. Front trigger with comfortable grip holder.O-ring seal. Rotate front head to adjust spray with 8-functions.Working temp.max 65℃,pressure max:20Bar.

前手柄扳机控制铜铝水枪，铜阀杆，O-型圈密封，扳机开关操作方便，橡塑胶套，手感舒适，转动头部可以调节水花，适合不同用途。适用洗车，工厂，畜牧场，建筑工地，船舶，路面清洗，园艺浇灌等场景. 最高使用温度65℃，使用压力2MPa.

51-350	3/4" Female thread	5	30	27-350



Metal Thumb Control Hose Spray Nozzle 拇指控制通用金属水枪

Aluminum construction. POM bore valve with Long life in use & high quality. Thumb control quarter-turn operation,Elastomer omfortable grip holder. Rotate nozzle to adjust spray: Stop, Fine Mist, Broad spray & Jet.Working temp. max 65℃.Working pressure max:20Bar.

中手柄拇指控制铜铝水枪，POM阀芯，O-型圈密封，单手拇指操作方便，塑胶手柄，手感舒适，转动头部可以调节水花以适用不同功能。适合洗车，工厂，畜牧场，建筑工地，船舶，路面清洗，园艺浇灌等场景。最高使用温度65℃，使用压力2MPa.

51-610	3/4" Female thread	5	40	27-610



Metal Eight-Function Hose Spray Nozzle 拇指控制八功能水枪

Technical Features:

Aluminum construction. POM bore valve with Long life in use & high quality. Thumb control quarter-turn operation,Elastomer omfortable grip holder. Rotate to adjust spray with 8-functions.Working temp. max.65℃.pressure max:20Bar.

中手柄拇指控制塑料水枪，POM阀芯，O-型圈密封，单手拇指操作方便，塑胶手柄，手感舒适，转动头部可以调节水花适合不同功能。适用洗车，工厂，畜牧场，建筑工地，船舶，路面清洗，园艺浇灌等场景。最高使用温度65℃，使用压力2MPa.

51-650	3/4" Female thread	5	30	27-650



Ecomonic 8-Function Hose Spray Nozzle 拇指控制八功能塑料水枪

Technical Features:

Plastic ABS/PP construction. POM valve with Long life in use & high quality. Thumb control quarter-turn operation,Elastomer omfortable grip holder. Rotate to adjust spray with 8-functions.Working temp. max.65℃.pressure max:20Bar.

中手柄拇指控制塑料水枪，POM阀芯，O-型圈密封，单手拇指操作更方便，塑胶手柄，手感好，转动头部可以调节水花，具有八种功能。适用洗车，产矿企业，畜牧场，建筑工地，路面的清洗，园艺浇灌等场景。最高使用温度达65℃，使用压力2.0MPa.

51-640	3/4" Female thread	5	30	27-640

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, China E-mail: torinta@188.com

Garden Hose Spray Nozzle 常压花园洗车水枪

Art No.	Description & Size	Inner	Master	Code for USA



Metal Rear Trigger Control Hose Spray Nozzle 后扳机控制通用水枪

Technical Features:

Aluminum and brass construction. Metal valve with Long life in high quality. Rear trigger control with comfortable grip holder,O-ring seal. Rotate brass nozzle to adjust spray.Working temp. max.65℃.Pressure Max:20Bar.
后手柄扳机控制铜铝水枪，铜阀杆，O-型圈密封，扳机开关操作方便，橡塑胶套，手感舒适，转动头部可以调节水花适合不同用途。适合洗车，工厂，牧场，建筑工地，船舶，路面清洗，园艺浇灌等场景。最高使用温度65℃，使用压力2MPa.

51-750	3/4" Female thread	5	40	27-750



Metal Eight-Function Trigger Spray Nozzle 简易型花园水枪

Technical Features:

Aluminum and brass construction. Metal valve with Long life in high quality. Metal rear trigger control with comfortable grip holder. Double O-ring seal. Working temp. max 40℃.Working pressure max:10Bar/1.0Mpa.
后手柄扳机控制简易型铜铝水枪，铜阀杆，O-型圈密封，扳机开关操作方便。简单适用，价格便宜。适用洗车，工厂，畜牧场，建筑工地，路面清洗，园艺浇灌等场景。最高使用温度40℃，使用压力1.0MPa.

51-740	3/4" Female thread	5	60	27-740
51-742	3/4" Female x male thread	5	60	27-742



Metal Hose Spray Nozzle - Economic Type 后扳机控制简易型水枪

Technical Features:

Aluminum and brass construction. Metal valve with Long life in high quality. Rear trigger control with comfortable grip holder,O-ring seal. Rotate head to adjust spray with 8-functions.Working temp.max.65℃.Pressure max:20Bar.
后手柄扳机控制铜铝水枪，铜阀杆，O-型圈密封，扳机开关操作方便，橡塑胶套，手感舒适，转动头部可以调节水花适合不同用途。适合洗车，工厂，牧场，建筑工地，船舶，路面清洗，园艺浇灌等场景。最高使用温度65℃，使用压力2MPa.

51-760	3/4" Female thread	5	30	27-760



Plastic Eight-Function Trigger Spray Nozzle 后扳机控制八功能水枪

Technical Features:

Plastic ABS or PP construction. POM bore valve with Long life in high quality. Rear trigger control with comfortable grip holder,O-ring seal. Rotate head to adjust spray with 8-functions.Working temp.max.65℃.Pressure max:20Bar.
后手柄扳机控制塑料水枪，扳机开关操作方便。转动头部可以调节水花适合不同用途。最高使用温度达40℃，使用压力1.0MPa

51-765	3/4" Female thread	5	30	27-765



Eight-Function Spray Nozzle with Extension 拇指控制八功能水枪

Technical Features:

Plastic ABS or PP construction. POM bore valve with Long life in high quality. Thumb control quarter-turn operate,Elastomer comfortable grip holder. Rotate to adjust with 8-functions. Working temp. max 45℃.pressure max:20Bar. With Aluminum extension tube.
中手柄拇指控制塑料水枪，POM阀芯，O-型圈密封，单手拇指操作更方便，塑胶手柄手感好，转动头部可以调节水花具有八种功能。适用洗车，私家花园，园艺浇灌等场景。最高使用温度45℃，使用压力1.0MPa.

51-680	3/4" Female thread	5	30	27-680

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, China E-mail: torinta@188.com

Metal Soft-rain Spray Lance/Wand 浇花灌溉长水枪

Art No.	Description & Size	Inner	Master	Code for USA



Metal Soft-rain Spray Lance/Wand 球阀型浇花灌溉长水枪

Technical Features:

Aluminum and brass construction. Ball valve control,Long life products. Metal extend tube with comfort polymer hand holder. 3/4" female thread. 2" face fine soft-rain spray head. Optional 3/4"GHT female thread is available.

铜球阀控制水枪出水, 不锈钢或铝管加长, 2"面板细孔铝喷头。适用于园艺浇灌,育苗浇水, 大棚果蔬浇灌, 清洗等场景。细孔喷头水花柔和，不伤植物。

52-150	3/4" x 60cm tube	5	30	28-150
52-151	3/4" x 90cm tube	5	30	28-151

Telescopic Metal Soft-rain Spray Lance/Wand 球阀型浇花灌溉长水枪

Technical Features:

Aluminum and brass construction. Ball valve control,Long life products. Metal telescopic extend tube with comfort polymer hand holder. 3/4" female thread. 2" face fine soft-rain spray head. Optional 3/4"GHT female thread is available.

铜球阀控制水枪出水, 不锈钢或铝双节管加长, 可调节管子长度 75-135cm, 2"面板细孔铝喷头。适用于园艺浇灌, 育苗浇水, 果蔬冲洗等场景。水花柔和，不伤植物。

52-160	3/4" x 75-135cm tube	5	30	28-160

Metal Trigger Soft-rain Spray Lance/Wand 前手柄浇花灌溉长水枪

Technical Features:

Aluminum construction. Front trigger control, Long life products. Al or stainless steel extend tube with comfort polymer hand holder. 3/4" female thread, Al. 2" face fine soft-rain spray. Optional 3/4"GHT female thread is available.

扳机控制水枪出水, 不锈钢或铝管加长, 2"面板细孔铝喷头。适用于园艺浇灌,育苗浇水, 大棚果蔬浇灌, 清洗等场景。细孔喷头水花柔和，不伤植物。

52-350	3/4" x 60cm tube	5	30	28-350
52-351	3/4" x 90cm tube	5	30	28-351

Telescopic Metal Soft-rain Spray Lance/Wand 前手柄浇花灌溉长水枪

Technical Features:

Aluminum construction. Front trigger control, Long life products. Al or stainless steel telescopic extend tube with comfort polymer hand holder.3/4" female threa 2" face fine soft-rain spray. Optional 3/4"GHT female thread is available.

扳机控制水枪出水, 不锈钢或铝双节延长管加长, 2"面板细孔铝喷头。适用于园艺浇灌，育苗浇水, 大棚果蔬浇灌, 清洗等场景。细孔喷头水花柔和，不伤植物。

52-360	3/4" x 75-135cm tube	5	30	28-160

Metal Thumb Control Soft-rain Spray Lance 中手柄浇花灌溉长水枪

Technical Features:

Aluminum construction. POM ball bore. Thumb easy control, Long life products. Extend tube with comfort polymer hand holder. 3/4" female thread, 2" face fine soft-rain spray. Optional 3/4"GHT female thread is available.

单手控制水枪出水, 不锈钢或铝延长管加长, 2"面板细孔铝喷头。适用于园艺浇灌育苗浇水, 大棚果蔬浇灌, 清洗等场景。细孔喷头水花柔和，不伤植物。

52-650	3/4" x 60cm tube	5	30	28-650
52-651	3/4" x 90cm tube	5	30	28-651

Telescopic Metal Soft-rain Spray Lance/Wand 中手柄浇花灌溉长水枪

Technical Features:

Aluminum construction. POM ball bore. Thumb easy control, Long life products. Telescopic extend tube with comfort polymer hand holder. 3/4" female thread, 2" face fine soft-rain spray. Optional 3/4"GHT female thread is available.

单手控制水枪出水, 不锈钢或铝双节延长管加长, 2"面板细孔铝喷头。适用于园艺浇灌，育苗浇水, 大棚果蔬浇灌, 清洗等场景。细孔喷头水花柔和，不伤植物。

52-660	3/4" x 75-135cm tube	5	30	28-660

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, China E-mail: torinta@188.com

Metal Soft-rain Spray Lance/Wand 浇花灌溉长水枪



Art No.	Description & Size	Inner	Master	Code for USA

Metal Soft-rain Spray Lance/Wand 球阀型浇花灌溉长水枪

Technical Features:

Aluminum and brass construction. Ball valve control,Long life products. Metal extend tube with comfort polymer hand holder. 3/4" female thread. 2" face fine soft-rain spray head. Optional 3/4"GHT female thread is available.

铜球阀控制水枪出水, 不锈钢或铝管加长, 2"面板细孔铝喷头。适用于园艺浇灌,育苗浇水, 大棚果蔬浇灌, 清洗等场景。细孔喷头水花柔和，不伤植物。

53-150	3/4" x 60cm tube	5	30	29-150
53-151	3/4" x 90cm tube	5	30	29-151

Telescopic Metal Soft-rain Spray Lance/Wand 球阀型浇花灌溉长水枪

Technical Features:

Aluminum and brass construction. Ball valve control,Long life products. Metal telescopic extend tube with comfort polymer hand holder. 3/4" female thread. 2" face fine soft-rain spray head. Optional 3/4"GHT female thread is available.

铜球阀控制水枪出水, 不锈钢或铝双节管加长, 可调节管子长度 75-135cm, 2"面板细孔铝喷头。适用于园艺浇灌, 育苗浇水, 果蔬冲洗等场景。水花柔和，不伤植物。

53-160	3/4" x 70-125cm tube	5	30	29-160

Metal Trigger Soft-rain Spray Lance/Wand 前手柄浇花灌溉长水枪

Technical Features:

Aluminum construction. Front trigger control, Long life products. Al or stainless steel extend tube with comfort polymer hand holder. 3/4" female thread, Al. 2" face fine soft-rain spray. Optional 3/4"GHT female thread is available.

扳机控制水枪出水, 不锈钢或铝管加长, 2"面板细孔铝喷头。适用于园艺浇灌,育苗浇水, 大棚果蔬浇灌, 清洗等场景。细孔喷头水花柔和，不伤植物。

53-350	3/4" x 60cm tube	5	30	29-350
53-351	3/4" x 90cm tube	5	30	29-351

Telescopic Metal Soft-rain Spray Lance/Wand 前手柄浇花灌溉长水枪

Technical Features:

Aluminum construction. Front trigger control, Long life products. Al or stainless steel telescopic extend tube with comfort polymer hand holder.3/4" female threa 2" face fine soft-rain spray. Optional 3/4"GHT female thread is available.

扳机控制水枪出水, 不锈钢或铝双节延长管加长, 2"面板细孔铝喷头。适用于园艺浇灌，育苗浇水, 大棚果蔬浇灌, 清洗等场景。细孔喷头水花柔和，不伤植物。

53-360	3/4" x 70-125cm tube	5	30	29-160

Metal Thumb Control Soft-rain Spray Lance 中手柄浇花灌溉长水枪

Technical Features:

Aluminum construction. POM ball bore. Thumb easy control, Long life products. Extend tube with comfort polymer hand holder. 3/4" female thread, 2" face fine soft-rain spray. Optional 3/4"GHT female thread is available.

单手控制水枪出水, 不锈钢或铝延长管加长, 2"面板细孔铝喷头。适用于园艺浇灌育苗浇水, 大棚果蔬浇灌, 清洗等场景。细孔喷头水花柔和，不伤植物。

53-650	3/4" x 60cm tube	5	30	29-650
53-651	3/4" x 90cm tube	5	30	29-651

Telescopic Metal Soft-rain Spray Lance/Wand 中手柄浇花灌溉长水枪

Technical Features:

Aluminum construction. POM ball bore. Thumb easy control, Long life products. Telescopic extend tube with comfort polymer hand holder. 3/4" female thread, 2" face fine soft-rain spray. Optional 3/4"GHT female thread is available.

单手控制水枪出水, 不锈钢或铝双节延长管加长, 2"面板细孔铝喷头。适用于园艺浇灌，育苗浇水, 大棚果蔬浇灌, 清洗等场景。细孔喷头水花柔和，不伤植物。

53-660	3/4" x 70-125cm tube	5	30	29-660

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, China E-mail: torinta@188.com

Hose Holder & Hose Kit 绕管架管子收纳器

Art No.	Description & Size	Inner / Master	Code for USA



Heavy Duty Aluminum Hose Holder 德式扇型软管收纳器

Technical Features:

Aluminum construction, Heavy duty, Wall-mount installation.

铸铝生产，用于收纳各种花园软管。适合安装在墙边或房车，农用车等上面，用于园艺，花园，农业喷灌等软管的收纳。

55-120	190 x 70mm, S-Size	60
55-121	260 x 108mm, M-Size	24
55-122	340 x 140mm, L-Size	12
55-123	410 x 188mm, XL-Size	8

Optional: Powder resin coated surface in different color is available..



Heavy Duty Aluminum Hose Holder 德式半月型软管收纳器

Technical Features:

Aluminum construction, Heavy duty, Wall-mount installation.

铸铝生产，用于收纳各种花园软管。适合安装在墙边或房车，农用车，以及需要软管的设备上，用于园艺，花园，农业喷灌等软管的收纳。

55-220	190 x 70mm, S-Size	60
55-221	260 x 108mm, M-Size	24
55-222	340 x 135mm, L-Size	12
55-223	370 x 188mm, XL-Size	8

Optional: Powder resin coated surface in different color is available..



Swiss Type Steel Hose Holder 瑞士钢制软管收纳器

Technical Features:

Steel construction, Swiss type, Heavy duty,

钢板生产，用于收纳各种花园软管。适合安装在墙边或房车，农用车，以及需要软管的设备上，用于园艺，花园，农业喷灌等软管的收纳。

55-130	Galvanized surface 镀锌，旧品号#56-123	10
55-131	Powder resin coated surface，烤漆	10
55-132	Stainless steel, ANSI 304 不锈钢	10
55-133	Stainless steel, ANSI 430 不锈铁	10



Plastic PP Hose Holder & Hose Kit 塑料软管收纳器

Technical Features:

Made of PP plastics, Wall-mount installation. Size 230 x 150mm

塑料生产，用于收纳各种花园软管。适合安装在墙边或房车，农用车，以及需要软管的设备上，用于园艺，花园，小面积农业喷灌等软管的收纳。

55-321	PP hose holder (单独绕管架)	50
58-003	Hose kit, 1/2"x2.5m hose, 3/4" female thread	10
58-005	Hose kit, 1/2"x5.0m hose, 3/4" female thread	10
58-013	1/2"x 2.5m hose, 3/4" female thread(单独管子)	20
58-015	1/2"x 5.0m hose, 3/4" female thread(单独管子)	20



Portable Plastic Hose Holder & Hose Kits 便携式塑料软管收纳器

Technical Features:

Made of PP plastics and Aluminum, Portable or Wall-mount installation.

塑料生产，用于收纳各种花园软管。便携式设计，主要用于花园浇灌，园艺及小面积的农业喷灌等软管的收纳。

AJ-220	Portable hose holder (单独绕管架)	1
AJ-222	1/2"x 10m Hose & Spray Nozzle(搭配10米管子)	1
AJ-224	1/2"x 20m Hose & Spray Nozzle(搭配20米管子)	1

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, China E-mail: torinta@188.com

Trolley Hose Cart & Hose Reel 软管收纳器/车

Art No.	Description & Size	Inner / Master	Code for USA



Trolley Hose Cart in High Quality 塑料不锈钢混搭软管绕管车

Technical Features:

Stainless steel/Aluminum and Plastic construction. S/S hose reel with rolled ribbed side disc for strength and rigidity. Quick-released clamp to adjust the height of hand push hand easily. The entire set is assembled in factory and users do not need secondary assembly. Click quick connect fitting.

不锈钢/铝材及工程塑料混搭生产，用于收纳各种比较长花园软管. 手推式设计, 可调推杆高度. 适用于较长距离的花园浇灌，园艺及农业喷灌等软管收纳.

AJ-230	Trolley Hose Cart as bare reel(单独绕管车)	1
AJ-231	1/2"x 50m Hose & Spray Nozzle	1
AJ-232	3/4"x 30m Hose & Spray Nozzle	1



Trolley Hose Cart in High Quality 塑料不锈钢混搭软管收纳车

Technical Features:

Stainless steel/Al. and Plastic construction. S/S hose reel with rolled ribbed. S/S side disc for strength and rigidity. Quick-released clamp to adjust the height of hand pusher easily. The entire set is assembled in factory. The user do not need secondary assembly. Click quick connect fitting & hosearranger.

不锈钢/铝材及工程塑料混搭生产，用于收纳各种比较长距离软管。手推式设计, 可以调整推杆高度, 配置圆盘刹车器, 使用更安全. 适用于较长距离的花园浇灌，园艺及农业喷灌等软管的收纳。本车配置管子整理排列器。

AJ-235	Trolley Hose Cart as bare reel(单独绕管车)	1
AJ-236	1/2"x 50m Hose & Spray Nozzle	1
AJ-237	3/4"x 30m Hose & Spray Nozzle	1



European Stainless Steel Trolley Hose Cart 欧式不锈钢软管收纳车

Technical Features:

Stainless steel and brass construction, S/S hose reel with rolled ribbed side disc for strength and rigidity. Brass water supply & fitting, Riser 3/4" male thread assembly for easy hose installation. Turning fitting can provent hose from binding. Fitted with stainless steel bolt break can stop the movement of reel when it is necessary. High quality in professional use.

使用不锈钢, 黄铜材料生产, 用于收纳各种比较长软管。手推式设计, 不锈钢框架, 黄铜配件, 出水端配置3/4″外牙管螺纹，安装软管方便牢固。配置圆盘刹车器使用更安全. 用于长距离花园浇灌，园艺及农业喷灌等软管的收纳。

55-643	3/4" x 30m as bare reel supply(单独绕管车)	1
55-645	3/4" x 50m as bare reel supply(单独绕管车)	1



European Stainless Steel Trolley Hose Cart 欧式不锈钢软管收纳车

Technical Features:

Stainless steel & brass construction, Tubular type S/S hose reel disc with strength and rigidity. Brass water supply & fitting, Riser 3/4" male thread assembly for easy hose installation. Turning fitting can provent hose from binding. Fitted with stainless steel bolt break can stop the movement of reel when it is necessary. High quality in professional use.

不锈钢, 黄铜材料生产, 用于收纳各种比较长花园软管。手推式设计, 不锈钢框架, 黄铜配件, 出水端配置1″外牙管螺纹，安装软管方便牢固。配置圆盘刹车器，使用更安全。用于较长距离的花园浇灌，园艺及农业喷灌等软管的收纳.

55-609	3/4" x 80m as bare reel supply(单独绕管车)	1
55-609	1" x 50m as bare reel supply(单独绕管车)	1

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, China E-mail: torinta@188.com

Art No.	Description & Size	Inner / Master	Code for USA



Swiss Type Stainless Steel Trolley Hose Cart 不锈钢软管收纳车

Technical Features:

Stainless steel & brass construction, Hose reel with rolled ribbed side discs for strength & rigidity. Brass fitting, Riser 3/4" male thread thread assembly for easy hose installation.Turning fitting can provent hose from binding. Fitted with S/S bolt break can stop the movement of reel when it is necessary.
不锈钢黄铜材料生产，用于收纳各种比较长花园软管。手推式设计，不锈钢框架，黄铜配件，出水端配置3/4″外牙管螺纹使软管安装更牢固。配置圆盘刹车器，使用更安全。适合于长距离的花园浇灌，园艺及农业喷灌等软管的收纳。

55-603	3/4" x 30m as bare reel supply(单独绕管车)	1	25-603
55-605	3/4" x 50m as bare reel supply(单独绕管车)	1	25-605



Swiss Type Stainless Steel Wallmount Hose Reel 不锈钢软管收纳器

Technical Features:

Stainless steel & brass construction, Hose reel with rolled ribbed side discs for strength & rigidity. Brass fitting, Riser 3/4" male thread thread assembly for easy hose installation.Turning fitting can provent hose from binding. Fitted with S/S bolt break can stop the movement of reel when it is necessary.
不锈钢黄铜材料生产，用于收纳各种比较长花园软管。手推式设计，不锈钢框架，黄铜配件，出水端配置3/4″外牙管螺纹使软管安装更牢固。配置圆盘刹车器，使用更安全。适合于长距离的花园浇灌，园艺及农业喷灌等软管的收纳。
安装墙边或农机设备上，可以90度转动角度。

55-703	3/4" x 30m as bare reel supply(单独绕管车)	1	25-703
55-705	3/4" x 50m as bare reel supply(单独绕管车)	1	25-705



Swiss Type Stainless Steel Wallmount Hose Reel 不锈钢软管收纳器

Technical Features:

Stainless steel & brass construction, Hose reel with rolled ribbed side discs for strength & rigidity. Brass fitting, Riser 3/4" male thread thread assembly for easy hose installation.Turning fitting can provent hose from binding. Fitted with S/S bolt break can stop the movement of reel when it is necessary.
Wallmounted, 90 degree turning.
不锈钢黄铜材料生产，用于收纳各种比较长花园软管。手推式设计，不锈钢框架，黄铜配件，出水端配置3/4″外牙管螺纹使软管安装更牢固。配置圆盘刹车器，使用更安全。适合于长距离的花园浇灌，园艺及农业喷灌等软管的收纳。
安装墙边或农机设备上，可以90度转动角度。

55-707	3/4" x 25m as bare reel supply(单独绕管车)	1	25-707
55-708	3/4" x 40m as bare reel supply(单独绕管车)	1	25-708



PVC Hose with REACH 环保型PVC软管

Technical Features:

PVC hose with REACH, three layer with fiber reinforced. Breaking pressure Ma› 50Bar (5.0Mpa), Working pressure 20Bar (2.0MPa). Brass fitting with locknut.
环保型PVC软管，可以达到REACH欧标卫生检测标准，三层结构，聚酯纤维增强。可用于园艺，小区花园，农业灌溉，路面清洁，厂矿企业等。

58-505	1/2" x 5m with brass fitting	12	25-505
58-506	3/4" x 5m with brass fitting	10	25-506
58-513	1/2" x 30 meter, 3/4" FIP hose fitting	4	
58-515	1/2" x 50 meter, 3/4" FIP hose fitting	2	
58-523	3/4" x 30 meter, 3/4" FIP hose fitting	2	
58-525	3/4" x 50 meter, 3/4" FIP hose fitting	1	

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, China E-mail: torinta@188.com

Repair Parts for Aluminum Spray Lance 铝水枪喷头及配件

Al. Soft-rain Shower Head 圆形铝喷头



Made of Aluminum, 2" face soft-rain face, 3/4" female thread.

53-890 0.7mm fine rain flow
53-891 1.0mm rain flow

25-890 3/4"GHT,0.7mm fine rain
25-891 3/4"GHT, 1.0mm rain

Al. Soft-rain Spray Head, Italy Version 意大利铝喷头



Made of Aluminum, 3" face soft-rain face, 0.8mm fine rain.

53-792 FIP 3/4" (旧品号7922)
53-793 MIP 3/4" (#53-792 加配
53-795 3/4" MIP 外螺纹接头

North America Type

25-792 3/4"GHT female thread
25-793 3/4"GHT male thread

Al. Soft-rain Spray Head with Rubber Ring



Made of Aluminum, 2" face soft-rain face with protective rubber ring. 3/4" female thread.

53-896 0.7mm fine rain flow

North America Type

25-896 3/4"GHT female thread

Aluminum Soft-rain Sprayhead 花园浇水小喷头



Made of Aluminum, 1" face soft-rain face.0.7mm fine rain. Female

53-889 FIP 3/4" x 1" face (旧品号53-690, 169LM)

North America Type

25-889 3/4"GHT female thread

Multi-Purpose 8-Pattern Spray Head 八功能喷头



Nylon showerbody, 8-functions spray head, 3/4" female thread

53-898 8-pattern includes: Jet,Shower,Mist,Soaker, Cone,Center,Flat & Fan.

North America Type

25-898 3/4"GHT female thread

Spray Head with Adj. Angle 角度调节八功能喷头



Plastic showerbody, 2" face with 8-pattern, Adj. angle 0 - 90°.

53-899 FIP 3/4" x 8-pattern (可调节角度八功能喷头)

North America Type

25-899 3/4"GHT female thread

Aluminum Soft-rain Spray Head 柱形铝喷头



Made of Aluminum, 2" face soft-rain face, 3/4" female thread

53-893 0.7mm fine rain flow
53-894 1.0mm rain flow

25-893 3/4"GHT 0.7mm fine rain
25-894 3/4"GHT, 1.0mm rain

Brass Soft-rain Spray Head 德国铜喷头



Brass construction, 4" face soft-rain face & rubber protective ring. 0.8mm fine rain.

53-523 1" (旧品号5052)
53-520 with 3/4" female thread

North America Type

25-520 3/4"GHT female thread
25-521 3/4"GHT male thread

Plastic Shell Soft-rain Spray Head 塑料外壳铝喷头



Plastic showerbody, 2" face Al. soft-rain face. 3/4" female thread.

53-897 0.7mm fine rain.

Aluminum Soft-Rain Spray Head, 2 x 4" Face



Aluminum construction, 2" x 4" face, 2.0mm rain flow.

53-528 FIP 3/4"
53-529 MIP 3/4" (带外牙接头)

Multi-Purpose 8-Pattern Spray Head 新款八功能喷头

New!



Nylon showerbody, 8-functions spray head, 3/4" female thread

53-900 8-pattern includes: Jet,Shower,Mist,Soaker, Cone,Center,Flat & Fan.

North America Type

25-900 3/4"GHT female thread

Al Soft-rain Spray Head with Adj. Angle 角度调节铝喷头



Plastic showerbody, 2" face Al. soft-rain face. 3/4"female thread

53-901 0.7mm fine rain.
53-902 1.0mm fine rain.

North America Type

25-901 3/4"GHT female thread

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, China E-mail:torinta@188.com

Repair Parts for Aluminum Spray Lance 铝水枪喷头及配件


Picture	Art No.	Description & Size
Nylon Adjustable Angle Male x Female 水枪角度调节器		
		Made of Nylon in high quality. 3/4" female x male thread ends. Adjustable angle 0 - 90°.
	53-885	3/4"
		North America Type
	25-885	3/4"GHT,
Nylon Adjustable Angle Male x Male 水枪角度调节器		
		Made of Nylon in high quality. 3/4" male x male thread ends. Adjustable angle 0 - 90°.
	53-886	3/4"
		North America Type
	25-886	3/4"GHT,
Stainless Steel Gutter Cleaner 常压水沟耙子		
		Made of Stainless steel, Brass locknut, 3/4", working pressure: max. up to 20Bar/2.0MPa.
	53-881	3/4" female thread
	53-882	3/4" with extensive elbow
		North America Type
	25-881	3/4"GHT female thread
	25-882	3/4"GHT male thread
S/S High Pressure Gutter Cleaner 高压水沟耙子		
		Made of stainless steel, Brass fitting. Fits high pressure cleaning machine.Working presure max. up to 300Bar/30MPa.
	53-883	1/2"x1.0 female thread
	53-884	M22 male elbow tube
Washer and Filter for Spray Wand 水枪过滤网及垫片		
		Seal diameter 25x16x3.0,REACH
	53-251	NBR with S/S filter
	53-252	Silicon with S/S filter
	53-254	NBR
	53-256	Silicon,
Soft-rain Spray Head with Elbow 135度弯管淋水喷头		
		Made of Aluminum, Soft-rain showerhead, Bent 135° tube. 3/4" FIP locknut.
	53-888	0.7mm fine rain
		North America Type
	25-888	3/4"GHT female thread
S/S Extension Tube with Handle 不锈钢带手柄延长管		
		Made of stainless steel tube.
	53-841	20cm straight tube直管
	53-842	60cm straight tube直管
	53-844	40cm, bent tube
	53-846	60cm, bent tube
	53-848	90cm, bent tube
	53-849	110cm, bent tube
Stainless Steel Extension Tube 不锈钢延长管		
		Made of stainless steel tube.
	53-851	20cm straight tube直管
	53-852	60cm straight tube直管
	53-854	40cm, bent tube
	53-856	60cm, bent tube
	53-858	90cm, bent tube
	53-859	110cm, bent tube
Telescopic S/S Extension Tube 不锈钢双节带手柄延长管		
		Made of stainless tube, PN20. Brass fitting. 3/4"male x female
	53-860	3/4" straight 65-120cm
	53-861	3/4" bent 75-130cm
		North America Type
	25-860	3/4"GHT straight
	25-861	3/4"GHT bent 75-130cm
Telescopic S/S Extension Tube 不锈钢双节延长管		
		Made of stainless tube, PN20. Brass fitting. 3/4"male x female
	53-870	3/4" straight 65-120cm
	53-871	3/4" bent 75-130cm
		North America Type
	25-870	3/4"GHT,straight
	25-871	3/4"GHT,bent 75-130cm
Aluminum Ext. Tube with Handle 铝带手柄延长管		
		Made of Aluminum tube, PN20
	53-861	20cm straight tube直管
	53-862	60cm straight tube直管
	53-864	40cm x 30 degree
	53-866	60cm x 30 degree
	53-868	90cm x 30 degree
	53-869	110cm x 30 degree
Aluminum Extension Tube 铝延长管		
		Made of Aluminum tube, PN20.
	53-851	20cm straight tube直管
	53-852	60cm straight tube直管
	53-854	40cm x 30 degree
	53-856	60cm x 30 degree
	53-858	90cm x 30 degree
	53-859	110cm x 30 degree

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, ChinaE-mail:torinta@188.com

Brass Claw-lock Quick Connect Coupling 德国快速接头

Picture	Art No.	Description & Size

Set of Brass Claw-Lock Coupling 套装德国GK型快速接头



Made of brass MS58, PN20. Set Includes: Brass spray nozzle, Female thread coupling, One pair hose coupling and hose clamp.

60-751 Fits 1/2"-13mm hose
60-753 Fits 3/4"-19mm hose

Brass Hose Coupling 铜卡扣软管速接



Made of brass MS58, PN20
NBR washer #80-200.

60-100 3/8"-10mm hose
60-101 1/2"-13mm hose
60-102 5/8"-16mm hose
60-103 3/4"-19mm hose
60-104 1"-25mm hose
60-106 1.1/4"-32mm hose
60-107 1.1/2"-38mm hose

Brass Female Thread Coupling 内牙速接



Made of brass MS58, PN20
NBR washer #80-200.

60-109 3/8"
60-110 1/2"
60-111 3/4"
60-113 1"
60-114 1.1/4"
60-116 1.1/2"

Brass Male Thread Coupling 外牙速接



Made of brass MS58, PN20
NBR washer #80-200.

60-119 3/8"
60-120 1/2"
60-121 3/4"
60-123 1"
60-124 1.1/4"
60-126 1.1/2"

Brass Y-Type Three-way Connects Y-型三通



Made of brass MS58, PN20
NBR washer #80-200.

80-834 FIP 3/4" x 2 MIP 3/4"

80-836 Triple couplings

Brass Blind End Coupling 速接端帽



Made of brass MS58, PN20
NBR washer #80-200.

60-118 Coupling x Blind end

Brass Pressure Hose Coupling 旋压卡扣软管速接



Made of brass MS58, PN20,
Turn locknut for connectiog.
Hose end x pressure coupling.

80-131 1/2"-13mm hose
80-133 3/4"-19mm hose
80-134 1"-25mm hose
80-136 1.1/4"-32mm hose

Brass Male Thread Pressure Coupling 旋压外牙速接



Made of brass MS58, PN20,
Turn locknut for connecting.
Male thread x pressure coupling.

80-140 1/2"
80-141 3/4"
80-143 1"

Brass Hose Spray Nozzle 软管连接铜喷嘴



Made of brass MS58, Rotate the head for close, mist, broad spray & jet. Hose sleeve end.

80-210 1/2" - 13mm hose
80-213 3/4" - 19mm hose
80-214 1" - 25mm hose

Brass Hose Nozzle with Coupling 速接铜喷嘴



Made of brass MS58, Rotate the head for close, mist, broad spray & jet. Claw-lock coupling end.

80-230 1/2" with coupling
80-233 3/4" with coupling
80-234 1" with coupling

Barrel Connector with Locknut & Washer 水箱法兰接头



Made of brass MS58, PN20
Lock nut with two washers

81-240 FIP 1/2" x MIP 3/4"
81-241 FIP 3/4" x MIP 1"
81-242 FIP 1" x MIP 1.1/4"

Brass Female Elbow Hose Connector 内螺纹软管接头



Made of brass MS58, PN20

80-450 1/2"-10mm
80-451 3/4"-13mm
80-453 1"-19mm
80-456 1/2"-13mm
80-458 3/4"-10mm
80-459 1"-25mm

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai,China E-mail:torinta@188.com

Brass Hose Connectors 黄铜软管接头

Picture	Art No.	Description & Size
Two-Piece Female Hose Connector 内牙软管接头		
		Made of brass MS58, PN20
	80-250	FIP 1/2"-10mm
	80-251	FIP 3/4"-13mm
	80-252	FIP 3/4"-16mm
	80-253	FIP 1"-19mm
	80-254	FIP 1.1/4"-25mm
	80-256	FIP 1.1/2"-32mm
	80-257	FIP 1.3/4"-38mm
	80-258	FIP 2"-50mm
Two-Piece Female Hose Connector 内牙软管接头		
		Made of brass MS58, PN20
	80-260	FIP 1/2"-13mm
	80-261	FIP 3/4"-10mm
	80-262	FIP 3/4"-19mm
	80-263	FIP 1"-25mm
	80-264	FIP 1.1/4"-32mm
	80-266	FIP 1.1/2"-38mm
	80-268	FIP 1"-13mm
	80-269	FIP 1.1/4"-19mm
Brass Hose x Hose Connector		
		Made of brass MS58, PN20
	80-060	3/8"-10mm
	80-061	1/2"-13mm
	80-062	5/8"-16mm
	80-063	3/4"-19mm
	80-064	1"-25mm
	80-066	1.1/4"-32mm
	80-069	19 x 13mm, Reducing
Three-Piece Female Hose Connector 内螺纹软管活接		
		Made of brass MS58, PN20
	80-841	FIP 1/2"-13mm
	80-843	FIP 3/4"-19mm
	80-844	FIP 1"-25mm
Brass Hose Clamp 铜管箍		
		Made of brass MS58, PN20
		Stainless steel screw & nut.
	80-333	25 - 27mm
	80-334	31 - 34mm
	80-336	38 - 41mm
Heavy Two-Piece Hose Connector 重型内牙软管接头		
		Made of brass MS58, PN20
	80-550	FIP 1/2"-10mm hose
	80-551	FIP 3/4"-13mm hose
	80-553	FIP 1"-19mm hose
	80-554	FIP 1.1/4"-25mm hose
	80-562	FIP 3/4"-19mm hose
	80-563	FIP 1""-25mm hose

Picture	Art No.	Description & Size
Brass Male Thread Hose Connector 外牙软管接头		
		Made of brass MS58, PN20
	80-350	MIP 1/2"-10mm
	80-351	MIP 3/4"-13mm
	80-353	MIP 1"-19mm
	80-354	MIP 1.1/4"-25mm
	80-361	MIP 1/2"-13mm
	80-362	MIP 3/4"-19mm
	80-363	MIP 1"-25mm
	80-364	MIP 1.1/4"-32mm
Brass Male Thread Hose Connector with O-Ring		
		Made of brass MS58, PN20
	80-650	MIP 1/2"-10mm
	80-651	MIP 3/4"-13mm
	80-652	MIP 3/4"-16mm
	80-653	MIP 1"-19mm
	80-654	MIP 1.1/4"-25mm
	80-658	MIP 3/4"-25mm
	80-659	MIP 1"-32mm
	80-667	MIP 1.1/2"-40mm
Brass Male Thread Hose Connector with O-Ring		
		Made of brass MS58, PN20
	80-660	MIP 1/2"-13mm
	80-662	MIP 3/4"-19mm
	80-663	MIP 1"-25mm
	80-664	MIP 1.1/4"-32mm
	80-665	MIP 1.1/4"-38mm
	80-666	MIP 1.1/2"-38mm
	80-668	MIP 1.1/2"-50mm
Three-Piece Male Hose Connector 外螺纹软管活接		
		Made of brass MS58, PN20
	80-846	MIP 1/2"-13mm
	80-848	MIP 3/4"-19mm
	80-849	MIP 1"-25mm
	80-850	MIP 1.1/4"-32mm
Three-Piece Hose x Hose connector 三件式软管活接		
		Made of brass MS58, PN20
	80-071	3/4"- 13mm hose
	80-073	1"- 19mm hose
	80-074	1.1/4"- 25mm hose
	80-070	80-250 + 80-361
	80-071S	80-262 + 80-362
Heavy Male Thread Hose Connector 重型外牙软管接头		
		Made of brass MS58, PN20
	80-520	1/2"-10mm hose
	80-521	MIP 3/4"-13mm hose
	80-523	MIP1"-19mm hose
	80-524	MIP1.1/4"-25mm hose
	80-532	MIP 3/4"-19mm hose
	80-533	MIP1"-25mm hose

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, ChinaE-mail:torinta@188.com

Brass Hose Connectors 黄铜软管接头

Picture	Art No.	Description & Size
Two-Piece Hose Connector, Swiss 瑞士内牙软管接头		
		Made of brass MS58, PN20
	85-501	FIP 1/2"-13mm
	85-502	FIP 1/2"-16mm
	85-510	FIP 3/4"-13mm
	85-511	FIP 3/4"-16mm
	85-513	FIP 3/4"-19mm
	85-530	FIP 1"-16mm
	85-531	FIP 1"-19mm
	85-534	FIP 1"-25mm
Brass Male Hose Connector, Swiss 瑞士外牙软管接头		
		Made of brass MS58, PN20
	85-751	MIP 1/2"-13mm
	85-752	MIP 1/2"-16mm
	85-761	MIP 3/4"-13mm
	85-762	MIP 3/4"-16mm
	85-763	MIP 3/4"-19mm
	85-782	MIP 1"-16mm
	85-783	MIP 1"-19mm
	85-784	MIP 1"-25mm
Brass Male Thread Hose Fitting 六角软管接头		
		Made of brass MS58, PN20
	81-018	MIP1/4"-8mm,SW14
	81-020	MIP1/4"-10mm,SW14
	81-030	MIP3/8"-10mm,SW17
	81-031	MIP3/8"-13mm,SW17
	81-750	MIP 1/2"-10mm, SW22
	81-751	MIP 1/2"-13mm, SW22
	81-753	MIP 1/2"-19mm, SW22
Brass Male Thread Hose Fitting 六角软管接头		
		Made of brass MS58, PN20
	81-790	MIP1.1/4"-25mm,SW50
	81-794	MIP1.1/4"-32mm,SW50
	81-795	MIP1.1/4"-38mm,SW50
	81-796	MIP1.1/2"-32mm,SW55
	81-797	MIP1.1/2"-38mm,SW55
	81-799	MIP 2"-50mm, SW70
Brass Male Thread Hose Fitting 六角软管接头		
		Made of brass MS58, PN20
	81-118	MIP1.1/4"-32mm,SW34
	81-119	MIP1.1/4"-40mm,SW42
	81-120	MIP1.1/2"-40mm,SW43
	81-133	MIP1.1/2"-50mm,SW52
	81-121	MIP2"-50mm,SW52
	81-125	MIP2.1/2"-63mm,SW65
	81-126	MIP3"-75mm,SW80
	81-128	MIP1.1/4"-25mm,SW27
	81-131	MIP1.1/2"-32mm,SW35
	81-133	MIP1.1/2"-50mm,SW52
	81-134	MIP2"-62mm, SW65

Picture	Art No.	Description & Size
Three-Piece Hose Connector, Swiss 瑞士软管活接		
		Made of brass MS58, PN20
	85-701	1/2"-13mm
	85-702	1/2"-16mm
	85-710	3/4"-13mm
	85-720	3/4"-16mm
	85-730	3/4"-19mm
	85-732	1"-16mm
	85-733	1"-19mm
	85-734	1"-25mm
Brass Spray Nozzle, Swiss Type 瑞士铜喷嘴		
		Made of brass MS58, Rotate the head for close, mist, broad spray & jet. Hose sleeve end.
	85-081	1/2"-13mm hose
	85-082	5/8"-16mm hose
	85-083	3/4"-19mm hose
	85-280	FIP 1/2"
	85-281	FIP 3/4"
	85-283	FIP 1"
Brass Male Thread Hose Fitting 六角软管接头		
		Made of brass MS58, PN20
	81-760	MIP 3/4"-13mm, SW32
	81-763	MIP 3/4"-19mm, SW32
	81-764	MIP 3/4"-25mm, SW32
	81-780	MIP 1"-19mm, SW37
	81-784	MIP 1"-25mm, SW37
	81-786	MIP 1"-32mm, SW37
Brass Male Thread Hose Fitting 六角软管接头		
		Made of brass MS58, PN20
	81-111	MIIP3/4"-13mm,SW17
	81-113	MIP3/4"-20mm,SW21
	81-114	MIP3/4"-25mm,SW27
	81-115	MIP1"-20mm,SW28
	81-116	MIP1"-25mm, SW28
	81-117	MIP1"-32mm,SW34
Brass Female Thread Hose Fitting 内牙六角软管接头		
		Made of brass MS58, PN20
		Made of I FIP 3/8"-10mm, SW19
	81-161	FIP 3/8"-13mm, SW19
	81-166	FIP 1/2"-13mm, SW24
	81-167	FIP 1/2"-19mm, SW24
	81-168	FIP 3/4"-19mm, SW29
	81-169	FIP 3/4"-25mm, SW29
	81-175	FIP 1"-25mm, SW36
	81-176	FIP 1"-32mm, SW36
	81-180	FIP 1.1/4"-32mm, SW46
	81-185	FIP 1.1/2"-38mm, SW51
	81-190	FIP 2"-50mm, SW63

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, China E-mail:torinta@188.com

Brass Hose Connector, Brass Fitting 黄铜软管接头

Picture	Art No.	Description & Size

Brass Male Thread Equal Nipple 外螺纹六角接头



Made of brass MS58, PN20

81-401	2 x MIP 1/2"
81-403	2 x MIP 3/4"
81-404	2 x MIP 1"
81-406	2 x MIP 1.1/4"
81-407	2 x MIP 1.1/2"
81-409	2 x MIP 2"

Brass Male Thread Reducing Nipple 外螺纹六角接头



Made of brass MS58, PN20

81-146	MIP 3/4" x 1/2"
81-148	MIP 1" x 3/4"
81-149	MIP 1.1/4" x 1"
81-496	MIP1.1/2" x 1.1/4"
81-495	MIP1.3/4" x 1.1/2"
81-497	MIP 2" x 1.1/2"

Brass Male & Female Thread Fitting 内外螺纹六角接头



Made of brass MS58, PN20

81-410	MIP 3/8" x FIP 1/2"
81-411	MIP 1/2" x FIP 3/4"
81-413	MIP 3/4" x FIP 1"
81-414	MIP 1" x FIP 1.1/4"
81-416	MIP 1.1/4" x FIP 1.1/2"

Brass Male & Female Thread Fitting 内外牙六角接头



Made of brass MS58, PN20

81-140	MIP 1/2" x FIP 3/8"
81-141	MIP 3/4" x FIP 1/2"
81-143	MIP 1" x FIP 3/4"
81-144	MIP 1.1/4" x FIP 1"
81-145	MIP 1.1/2" x FIP 1.1/4"

Brass Female Thread Socket 内螺纹外接



Made of brass MS58, PN20

81-501	FIP 1/2"
81-503	FIP 3/4"
81-504	FIP 1"
81-506	FIP 1.1/4"

Brass Female Thread Equal Tee 内螺纹三通



Made of brass MS58, PN20

81-301	FIP 1/2"
81-303	FIP 3/4"
81-304	FIP 1"
81-306	FIP 1.1/4"

Brass Female Thread Elbow 内螺纹弯头



Made of brass MS58, PN20

81-261	FIP 1/2"
81-263	FIP 3/4"
81-264	FIP 1"
81-266	FIP 1.1/4"

Brass Male & Female Thread Elbow 内外螺纹弯头



Made of brass MS58, PN20

81-361	FIP x MIP 1/2"
81-363	FIP x MIP 3/4"
81-364	FIP x MIP 1"
81-366	FIP x MIP 1.1/4"

Brass Reducing Thread Fitting 内外牙转换接头



Made of brass MS58, PN20

81-084	MIP 1/2" x FIP 3/8"
81-086	MIP 3/4" x FIP 1/2"
81-087	MIP 1" x FIP 3/4"
81-088	MIP 1.1/4" x FIP 1"
81-089	MIP 1.1/2" x FIP 1.1/4"

Rubber Seal Washer for Coupling 德国速接密封垫片



Made of NBR, REACH pass test

80-200	For Claw-lock Coupling
80-220	For Pressure Coupling

Steel Hose Clamps, Germany Type 德式软管喉箍



W-1, All steel, 9mm bend

80-041	8 - 12mm
80-042	10 - 16mm
80-043	12 - 20mm
80-044	16 - 25mm
80-045	20 - 32mm
80-046	25 - 40mm
80-047	32 - 50mm
80-048	40 - 60mm
80-049	50 - 70mm
80-050	60 - 80mm
	and more

Unitary Steel Hose Clamp 强力软管喉箍



W-1, All galvanized steel

80-021	20 - 22mm
80-022	23 - 25mm
80-023	26 - 28mm
80-024	29 - 31mm
80-025	32 - 35mm
80-026	36 - 39mm
80-027	40 - 43mm
80-028	44 - 47mm
80-029	48 - 51mm
80-030	52 - 55mm
	and more

Optional: 1. 12mm bend width, 1. W-2, SUS430 band & galvanized steel screw. 3. W-4, ANSI 304 band & screw

W1 - 全部铁镀锌经济型，会生锈。 W2 - 钢带用SUS430不锈铁+镀锌螺丝。 W4 - 钢带螺丝全用304不锈钢。

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, ChinaE-mail:torinta@188.com

Brass Garden Click Hose Coupling & Nozzle 黄铜快速接头

Picture	Art No. Description & Size

Brass Click Quick Connect Coupling 花园软管快速接头



Made of brass, 16mm socket
fits most quick click connector.
86-701 1/2" - 13mm hose
86-702 5/8" - 16mm hose
86-703 3/4"-19mm hose

Brass Female Thread Quick Connector 内牙奶嘴速接



Made of brass MS58, PN16.
fits most of 16mm click coupling.
86-710 FIP 1/2"
86-711 FIP 3/4"
86-713 FIP 1"
26-711 3/4"GHT Female thread

Brass Female Thread Quick Connector 内螺纹奶嘴速接



Made of brass MS58, PN16.
fits most of 16mm click coupling.
86-714 FIP 3/4" & 1/2" both
86-724 FIP 1/2 "x MIP 3/4"
Reducing with Washer

Brass Hose Connect Coupler 软管接头，端帽



Made of brass MS58, PN16
86-761 1/2"-13mm hose
86-762 5/8" -16mm hose
86-763 3/4" -19mm hose
86-765 1/2" -13mm hose x blind
86-766 3/4" -19mm hose x blind

Brass Swivel Elbow with Quick Connect 旋转弯头



Made of brass MS58, PN20. Fits
16mm socket of hose coupling.
90 degree turning elbow.
86-731 FIP3/4"

Brass Coupling with Quick Connect 速接转换接头



Made of brass MS58, Claw-lock
coupling & hose connector, PN16
80-191 1/2" hose coupler
80-193 3/4" hose coupler
80-195 Click quick connect

Set of Brass Hose Nozzle Starter 套装软管接头及喷嘴



Made of brass MS58,Set includes
one pair hose coupling, female
quick click tap connector and
garden hose nozzle.
86-751 1/2"-13mm hose
86-752 5/8"-16mm hose
86-753 3/4"-19mm hose
26-751 3/4"GHT female thread

Picture	Art No. Description & Size

Waterstop Quick Connect Hose Coupling 带止水塞速接



Made of brass, 16mm socket
fits most quick click connector.
86-741 1/2"- 13mm hose
86-742 5/8"-16mm hose
86-743 3/4"-19mm hose

Brass Male Thread Quick Connector 外牙奶嘴速接



Made of brass MS58, PN16.
fits most of 16mm click coupling.
86-720 MIP 1/2"
86-721 MIP 3/4"
26-721 3/4"GHT Male thread

Brass Male Thread Quick Connector 外螺纹速接接头



Made of brass MS58, PN16
fits most of 16mm click coupling.
86-734 MIP 3/4" x coupling
86-732 #86-732 + #86-711
26-734 3/4"GHT male thread
26-732 (#26-732 + #26-711)

Brass Female Thread Quick Coupling 内螺纹速接



Made of brass MS58, PN16
3/4" female thread.
86-735 FIP 3/4" x coupling
86-736 OEM with special seal
(HAB 定制内螺纹速接）
26-735 3/4"GHT female thread

Brass Quick Click Connector 奶嘴速接



Made of brass MS58, PN16
fits16mm hose coupling.
86-717 Twin connect直通
86-718 Three-way connect

Brass Hose Nozzle with Quick Connector 花园喷嘴



Made of brass MS58, PN16, Rotat
the head to adjust spraying: Stop,
Mist, Broad spray & jet.
86-781 With Click Connect
86-782 3/4" female thread
86-783 1/2"-13mm hose
86-784 5/8"-16mm hose
86-785 3/4"-19mm hose
86-786 With Claw-lock coupling
80-235 1/2"-13mm (加#80-351)
80-236 3/4"-19mm (加#80-362)

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, ChinaE-mail:torinta@188.com

Plastic Garden Hose Connect Coupling 花园快速接头

Picture	Art No. Description & Size
Garden Quick Connect Hose Coupling 塑料软管速接	
	Made of ABS & PP, PN16. 16mm socket fits most quick connect. Available in different color. **86-801** 1/2"-5/8" hose **86-803** 3/4" hose
Female Thread Quick Click Connector 塑料奶嘴速接	
	Made of ABS or PP, PN16.16mm quick connect fits most garden coupling. IPS female thread. **86-811** 3/4" FIP **26-811** 3/4" NH (美制)
Garden Hose Repair Coupler 塑料软管接头	
	Made of ABS or PP, PN16. Used for repair or connection of hose. **86-861** 1/2"-5/8" hose
Plastic Garden Hose Coupler 塑料软管止水端	
	Made of ABS or PP, PN16. Used for connection the end of hose. **86-861** 1/2"-13mm hose **86-863** 3/4"-15mm hose **86-865** 1/2"hose x Blink End
Set of Garden Hose Connects & Nozzle 套装软管速接	
	Made of ABS or PP, PN16.Set of quick hose connector & nozzle includes 1-pair of hose coupling, 86-811 female quick connector & 86-881 garden hose nozzle. **86-851** 1/2"-5/8" hose **86-853** 3/4"-19mm hose
Garden Quick Connect Hose Coupling 塑料软管速接	
	Made of ABS & PP, PN16.16mm socket fits most quick connect. **86-805** 1/2" hose only
Garden Spray Nozzle Starter Set 套装花园水枪	
	Made of ABS or PP, PN16. Set of quick hose connector & nozzle includes 1-pair of hose coupling, 86-815 female quick connector & 86-883 garden hose nozzle. **86-856** 1/2"-13mm hose

Picture	Art No. Description & Size
Waterstop Quick Connect Coupling 带止回阀速接	
	Made of ABS & PP, PN16. 16mm socket fits most quick connect. Waterstop prevent water backflow. **86-841** 1/2"-5/8" hose **86-843** 3/4" hose
Male Thread Accessory Quick Connector 塑料奶嘴速接	
	Made of ABS or PP, PN16. 16mm quick connect fits most garden coupling. IPS male thread. **86-821** 3/4" MIP **26-821** 3/4" NH (美制, 四边型)
Universal Rubber x Plastics Tap Connect 水龙头奶嘴	
	Made of ABS & PP, PN16. 16mm NBR rubber with stainless steel clamp. **86-816** 1/2"-5/8" hose, Fits 1/2" tap
Garden Hose Spray Nozzle 塑料花园喷嘴	
	Made of ABS & PP, PN16. 16mm male quick connect. Rotate the the head to adjust the spraying. Close, Mist, Broad Spray & Jet. **86-881** (旧品号：#86-581)
Set of Garden Hose Connects & Nozzle 套装花园喷嘴	
	Made of ABS or PP, PN16. Set of quick hose connector & nozzle includes 1-pair of hose coupling, 86-811 female quick connector & 86-881 garden hose nozzle. **86-851B** 1/2"-5/8" hose **86-853B** 3/4"-19mm hose
Garden Quick Connect Hose Coupling 套装软管速接	
	Made of ABS & PP, PN16. 16mm Fits most of quick connect. Including two pieces of quick coupling & tap connector **86-854** 1/2"-13mm hose
Garden Spray Nozzle Starter Set 套装花园喷嘴	
	Made of ABS or PP, PN16. Set of quick hose connector & nozzle includes 1-pair of hose coupling, 86-815 female quick connector & 86-882 garden hose nozzle. **86-855** 1/2"-13mm hose

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, ChinaE-mail:torinta@188.com

Garden Valve, Tap & Sprinkler 花园阀, 水嘴, 喷水器

Picture	Art No. Description & Size

Brass Y-Type Twin-Outlet Ball Valve 黄铜Y型分流阀



Made of brass MS58, PN20. 3/4" female thread & twin male thread connects, Quarter-turn operation.

83-316 FIP3/4" x 2 MIP3/4"
3/4"GHT for American

Brass Garden Ball Valve 内外牙花园球阀



Made of brass MS58, PN20. 3/4" male x female thread, Quarter turn operation.

82-323 FIP3/4" x MIP3/4"
82-323C FIP3/4" x MIP3/4"镀铬
3/4"GHT for American

Brass Twin-Outlet Garden Ball Valve 黄铜两路分流阀



Made of brass MS58, PN20. 3/4" female thread & twin male thread connects, Quarter-turn operation.

82-324 FIP3/4" x 2 MIP3/4"
82-344 FIP1" x 2 MIP1"
3/4"GHT for American

Brass Triple-Outlet Garden Ball Valve 黄铜三路分流阀



Made of brass MS58, PN20. 3/4" female thread & triple male thread connects, Quarter-turn operation.

82-325 FIP3/4" x 3 MIP3/4"
82-345 FIP1" x 3 MIP1"
3/4"GHT for American

Tripod Stand and Brass Sprinkler 三脚架及花园喷水器



Steel construction zinc plated, PN20, Brass click quick connect inlet profile. Al hand wheel.

56-034 MIP3/4"
56-036 MIP1"
56-034F FIP1/2"
56-036F FIP3/4"
3/4"GHT for American



Made of SUS430 Stainless steel, S/S tube,PN20, Brass click quick inlet profile. Al hand wheel.

56-134 MIP3/4"
56-136 MIP1"
56-134F FIP1/2"
56-136F FIP3/4"
56-137 1/2" impact sprinkler
56-138 3/4" impact sprinkler
56-139 3/4" butterfly sprinkler
3/4"GHT for American

Picture	Art No. Description & Size

Brass Twin Outlet Quick Connect Valve 速接分流阀



Made of brass MS58, PN20. 3/4" female thread and twin male quick connects, Quarter-turn operation.

83-315 FIP3/4" x quick connect
3/4"GHT for American

Three-way Quick Connect with Valve Y型奶嘴分流阀



Made of brass,PN20. Y-Type triple way male quick connect, Twin ball valve, Quarter-turn operation.

83-318 Triple quick connect

Brass Four-Outlet Garden Ball Valve 黄铜四路分流阀



Made of brass MS58, PN20. 3/4" female thread & four male thread connects, Quarter-turn operation.

82-326 FIP3/4" x 4 MIP3/4"
3/4"GHT for American

Brass Butterfly Sprinkler 耐用金属喷水器



Powder coated steel base, Brass flow way, Al. butterfly rotating, Long life product.

56-261 FIP 1/2"
56-263 FIP 3/4"
56-268 With steel base
3/4"GHT for American

Brass Impact Sprinkler 耐用铜喷水器



Brass construction, PN20, ANSI 304 stainless steel spring control.

56-211 MIP 1/2"
56-213 MIP 3/4"
56-214 MIP 1"
56-221 FIP 1/2"
56-223 FIP 3/4"
56-224 FIP 1"
NPT Thread for Americar

Brass Impact Sprinkler, Adjustable Area 可调铜喷水器



Brass construction, PN20, ANSI 304 stainless steel spring control. Adjustable spraying area.

56-241 MIP 1/2"
56-243 MIP 3/4"
56-244 MIP 1"
56-251 FIP1/2"
56-253 FIP 3/4"
NPT Thread for Americar

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, ChinaE-mail:torinta@188.com

Tap, Garden Valve, Suction Valve 铜水嘴, 花园阀

Picture	Art No. Description & Size

Plastic Garden In-take Valve 塑料取水阀



Plastic PP construction, PN16, NBR Seal, Stainless steel ANSI 304 Spring, Heavy plastic cover

56-103 MIP 3/4"
56-104 MIP 1"

Brass Garden In-take Valve 黄铜取水阀



Brass body MS58, PN20, NBR Seal, Stainless steel ANSI 304 spring, Aluminum Handle.

56-113 MIP 3/4"
56-114 MIP 1"

Plastic Y-Type Micro Filter Y型过滤阀



Plastic PP construction, PN16, Stainless steel mesh by customer

56-123 3/4"
56-124 1"
56-126 1.1/4"
56-127 1.1/2"
56-128 2"

Plastic Micro T-Type Filter T型过滤阀



Plastic PP construction, PN16, Stainless steel mesh by customer

56-133 3/4"
56-134 1"
56-136 1.1/4"
56-137 1.1/2"
56-138 2"

Brass Three-Way Tap, Male Thread Ends 三通水嘴



Made of brass MS58, PN20. T-handle, Double threaded outlet. 3/4" female inlet with cloknut. Matte finish.

83-200 FIP 3/4" x 2 MIP 3/4"

Brass Three-Way Tap, Coupling Ends 速接三通水嘴



Made of brass MS58, PN20. T-handle. Three coupling ends, Matte brass body.

83-233 3-coupling connection
(曾经用过品号83-333)

Brass UK Classical Water Tap 英国黄铜水嘴



Made of brass MS58, PN20. T-handle, Rough brass surface

82-411 1/2" matte RB 抛沙本色
82-413 3/4" matte RB 抛沙本色

Brass Three-Way Ball Valve, Coupling Enc 速接三通阀



Made of forging brass, PN20. Quarter-turn operation, Three coupling ends. Matte finish.

83-331 3-coupling connection

Brass Italy Classical Water Tap 黄铜水嘴



Made of brass MS58, PN20. T-handle, Rough brass surface

83-151R 1/2" matte RB 抛沙本色
83-153R 3/4" matte RB 抛沙本色
83-151 1/2" matte CP 抛沙镀铬
83-153 3/4" matte CP 抛沙镀铬

Brass Italy Classical Tap with Adaptor 黄铜水嘴



Made of brass MS58, PN16. T-handle, Rough brass surface

83-161R 1/2" matte RB 抛沙本色
83-163R 3/4" matte RB 抛沙本色
83-161 1/2" matte CP 抛沙镀铬
83-163 3/4" matte CP 抛沙镀铬

Brass Suction Valve with Floating Ball for Pump 进水阀及浮球套装



Brass suction valve with eyelet & sleeve adaptor, Stainless steel wire chain, Hose clamp & 6" floating ball.

71-294 set, for 1" suction hose
71-294-1 Floating ball (单独浮球)
71-384 Suction Valve(单独阀门)
(旧品号，图号71-294E)

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, ChinaE-mail:torinta@188.com

Brass Tap, Garden Valve 花园阀, 水嘴

Brass Classical Germany Tap 德式水嘴



Brass body & stem, MS58, PN16. NBR seal disc, T-handle, Sleeve end. Matte chrome plated.

83-121 1/2"
83-123 3/4"
83-124 1"

Brass Germany Tap, Loose Key Handle 钥匙手柄水嘴



Brass body & stem, MS58, PN16. NBR seal disc, Loose key handle, Sleeve end. Matte chrome plated.

83-141 1/2"
83-143 3/4"

Brass Ball Bibcock, Italy Type 意式球芯水嘴



Brass body & stem, MS58, PN16. Double O-ring packing, Matte NP, Sleeve end.

83-301 1/2"
83-303 3/4"
83-304 1"

Brass Ball Bibcock, Econimic Type 轻型水嘴



Brass body & stem, MS58, PN16. Double O-ring packing, Matte NP, Cheap plastic hose sleeve end.

83-401 1/2"
83-403 3/4"

Brass Ball Bibcock, Lever Steel Handle 意式球芯水嘴



Brass body & stem, MS58, PN16. Double O-ring packing, Matte NP, Hose sleeve end.

83-311 1/2" CP Steel handle
83-313 3/4" CP Steel Handle
83-314 1" CP Steel Handle

83-341 1/2" S/S 304 Handle
83-343 3/4" S/S 304 Handle
83-344 1" S/S 304 Handle

Brass Ball Bibcock with Quick Connector 意式球芯水嘴



Brass body & stem, MS58, PN16. Double O-ring packing, Matte NP, Quick click connect end.

83-321 1/2" CP Steel handle
83-323 3/4" CP Steel Handle
83-324 1" CP Steel Handle

83-351 1/2" S/S 304 Handle
83-353 3/4" S/S 304 Handle
83-354 1" S/S 304 Handle

Stainless Steel Lockable Ball Bibcock 不锈钢球阀水嘴



Made of stainless steel ANSI304 or 316. PN20. Lockable design, Lever handle with soft grip. Hose sleeve end.

83-601 1/2"
83-603 3/4"

Brass Ball Bibcock, Aluminum Handle 铝手柄水嘴



Brass body & stem, MS58, PN16. Double O-ring packing, Matte NP, Al. handle, Hose sleeve end.

83-501 1/2"
83-503 3/4"

Brass Ball Bibcock with Double Outlet 洗衣机龙头



Brass body & stem, MS58, PN16. Double O-ring packing, Matte NP, Double outlet with male thread & quick click connect end.

83-701 1/2" x 3/4"
83-703 3/4" x 1"

Brass Ball Bibcock with Double Outlet 洗衣机龙头



Brass body & stem, MS58, PN16. Double O-ring packing, Matte NP, Double outlet with male thread and hose sleeve end.

83-711 1/2" x 13mm sleeve
83-713 3/4" x 19mm sleeve

Zinc Barrel Tap with S60 IBC Connector 集水桶水嘴



Zinc ball bibcock, Nickel plated, Hose sleeve end. PP or ABS S60 IBC S60 adaptor. PN10.

83-365 3/4"

锌合金镀镍产品，最少订购量5000个以上才接单。

Brass Barrel Tap with S60 IBC Connector 集水桶水嘴



Brass ball bibcock, MS58, PN16 Hose sleeve end. PP or ABS S60 IBC S60 adaptor.

83-363 3/4" （配83-303)）
83-363L 3/4" （配83-313)）
S60 -03 FIP 3/4" PP Adaptor only

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, ChinaE-mail:torinta@188.com

Brass Valves 花园阀, 水嘴

Picture	Art No.	Description & Size
S/S Strainer for Suction Valve 进水阀过滤网		
		ABS plastic body with stainless steel mesh screen, heavy duty
	70-691	1/2"
	70-693	3/4"
	70-694	1"
	70-696	1.1/4"
	70-697	1.1/2"
	70-698	2"
Brass European Check Valve 欧式止回阀		
		Brass body, PN20, Nylon suction mechanism with NBR rubber disc
	72-691	1/2"
	72-693	3/4"
	72-694	1"
	72-696	1.1/4"
	72-697	1.1/2"
	72-698	2"
Brass Check Valve With Waste 带测试孔止回阀		
		Brass body, PN20, Brass suction mechanism, Heavy duty.
	75-794	FIP 1.1/4"
	75-796	FIP 1.1/2"
	Brass suction valve with Eyelet	
		Brass body, S/S filter with eyelet
	71-384	1"-25mm
	71-386	1.1/4-32mm
	71-387	1.1/2-40mm
Brass Female Thread Ball Valve 铜球阀		
		Brass body & stem, MS58, PN25 Large flow port, Nickel plated, CP steel handle. 铁球铁手柄
	77-701	FIP 1/2"
	77-703	FIP 3/4"
	77-704	FIP 1"
	77-706	FIP 1.1/4"
	77-707	FIP 1.1/2"
	77-708	FIP 2"
Brass Female Thread Ball Valve 铜球阀		
		Brass body & bore, MS58, PN20, Large flow port, Nickel plated, Stainless steel handle with grip. 铜球不锈钢手柄
	77-720	FIP 3/8"
	77-721	FIP 1/2"
	77-723	FIP 3/4"
	77-724	FIP 1"
	77-726	FIP 1.1/4"
	77-727	FIP 1.1/2"
	77-728	FIP 2"

Picture	Art No.	Description & Size
Brass Suction Valve with S/S Strainer 欧式进水阀		
		Brass body, PN20, Nylon suction mechanism with NBR rubber disc. Stainless steel mesh screen.
	71-691	FIP 1/2"
	71-693	FIP 3/4"
	71-694	FIP 1"
	71-696	FIP 1.1/4"
	71-697	FIP 1.1/2"
	71-698	FIP 2"
Brass Check Valve Male x Female End 欧式止回阀		
		Brass body, PN20, Nylon suction mechanism with NBR rubber disc
	72-593	3/4"
	72-594	1"
	72-596	1.1/4"
	72-597	1.1/2"
	72-598	2"
Brass Ball Valve with Wing Handle 内外牙铜球阀		
		Brass body & stem, MS58, PN25 Large flow port, Nickel plated, Aluminum wing handle.
	77-741	FIP 1/2"
	77-743	FIP 3/4"
	77-744	FIP 1"
	77-756	FIP x MIP 1.1/4"
	77-757	FIP x MIP 1.1/2"
	77-758	FIP x MIP 2"
Brass Ball Valve, Female x Male Thread 内外牙铜球阀		
		Brass body & stem, MS58, PN25 Large flow port, Nickel plated, CP steel handle. 铁球铁手柄
	77-711	FIP x MIP 1/2"
	77-713	FIP x MIP 3/4"
	77-714	FIP x MIP 1"
	77-716	FIP x MIP 1.1/4"
	77-717	FIP x MIP 1.1/2"
	77-718	FIP x MIP 2"
Brass Ball Valve, Female x Male Thread 内外牙铜球阀		
		Brass body & bore, MS58, PN20, Large flow port, Nickel plated, Stainless steel handle with grip. 铜球不锈钢手柄
	77-730	FIP x MIP 3/8"
	77-731	FIP x MIP 1/2"
	77-733	FIP x MIP 3/4"
	77-734	FIP x MIP 1"
	77-736	FIP x MIP 1.1/4"
	77-737	FIP x MIP 1.1/2"
	77-738	FIP x MIP 2"

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, ChinaE-mail:torinta@188.com

Hydraulic Valve, Fire Nozzle & Coupling 消防阀

Picture	Art No. Description & Size

Brass Hydraulic Fire Angle Valve 消防箱用三角阀



Brass construction, MS58, PN20
Large flow port, NBR seal disc.
Aluminum wheel handle.

18-124 1.1/4" Inlet x 1"
18-125 1.1/2" Inlet x 1.1/4"
18-128 2" Inlet x 1.1/2"
18-129 2.1/2" Inlet x 2"

Brass Hydraulic Fire Angle Valve 消防箱用三角阀



Brass construction, MS58, PN20
Large flow port, NBR seal disc.
Aluminum wheel handle.

18-114 1.1/4" Inlet x 1"
18-115 1.1/2" Inlet x 1.1/4"

Brass Fire Nozzle with Nylon House 尼龙外壳消防喷嘴



Brass construction, MS58, PN20
Plastic house with O-ring.
Quick open-close operation.

17-065 16.5mm sleeve
17-100 20.0mm sleeve

17-165 16.5mm sleeve
17-200 20.0mm sleeve

Brass Fire Nozzle with Rubber House 橡胶外壳消防喷嘴



Brass construction, MS58, PN20
Rubber house.
Quick open-close operation.

17-365 16.5mm sleeve
17-400 20.0mm sleeve
17-425 25.0mm sleeve
17- AG2(3/4" male thread
17- IG20 3/4" female thread

Aluminum Multi-Purpose Fire Nozzle 带阀门消防水枪



Aluminum valve & pipe, Grip & tip made of impact-resistant polyamide, (铝喷头, 铝管加外套)

16-025 With brass coupling
16-026 MIP 1" threaded inlet
16-030 25-D
16-050 50-C

Aluminum Multi-Purpose Fire Nozzle 带阀门消防水枪



Aluminum Valve, Pipe made of impact-resistant polyamide.
(配尼龙管)

16-250 50-C, 66mm coupling
16-251 MIP 2" threaded inlet
16-260 75-B, 89mm coupling
16-261 MIP 2.1/2"threaded inlet

Aluminum Storz Coupling, Long Tail 消防水带铝接头



Made of Aluminum, PN16. Long tail for fire hose. NBR seal.

14-320 **25-D**, C-31
14-321 **52-C**, C-66
14-322 **75-B**, C-89
可选择锻造或铸造, 品质价位不同

Aluminum Female Storz Coupling 内螺纹消防速接



Made of Aluminum, PN16. IPS female thread. NBR seal.

14-306 **25-D**, C-31 x FIP1"
14-307 **52-C**, C-66 x FIP2"
14-308 **75-B**, C-89 x FIP2.1/2"
可选择锻造或铸造, 品质价位不同

Brass Turn Fitting for Fire Hose Reel 消防转盘铜件



Brass construction, MS58, PN20

17-013 19 x 19mm sleeve
17-014 19 x 16.5mm sleeve
17-015 25 x 25mm sleeve
17-568 19 x 19mm sleeve
Nickel plated镀镍
17-569 19 x 16.5mm sleeve
Nickel plated镀镍

Fire Hose with STORZ Coupling, 10 Bar 消防水带



Aluminum hose coupling, PN16

18-215 **52-C**, C-66, 15m
18-220 **52-C**, C-66, 20m
18-230 **52-C**, C-66, 30m
18-315 **75-B**, C-89, 15m
18-320 **75-B**, C-89, 20m
18-330 **75-B**, C-89, 30m
18-415 **100-A**, C-133, 15m
18-420 **100-A**, C-133, 20m
18-430 **100-A**, C-133, 30m

Brass Turn Fitting for Fire Hose Reel 消防转盘铜件



Brass construction, MS58, PN20
Short body, 40mm
17-125 19 x 19mm sleeve
17-126 19 x 16.5mm sleeve

Long body, 80mm
17-123 19 x 19mm sleeve
17-124 19 x 16.5mm sleeve

Rubber Seal for Storz Coupling 消防快速接头垫片



Made of NBR.

15-150 52-C, C-68
15-175 75-B, C-89
15-225 25-D, C-31
15-250 52-C, C-68
15-275 75-B, C-89

Shanghai Aijet Cleantech Co. Ltd Add: Room 1002, No.32 Palm Plaza, Songjiang, Shanghai, ChinaE-mail:torinta@188.com

FAQ 关于公司的问题

Q1. Are you a factory or a trading company?

Our company focuses on the design, developing, manufacturing & exporting various kinds of cleaners, car washing tools, gardening and agricultural irrigation products

Q2. Where is your factory located?

Our factory is located in Xiamen, a city in southestern of China.

Q3. Can I have samples?

We would like to offer you samples after price is confirmed. Customer should bear basic costs of sending samples. The charges will be returned to customer after they have ordered a certain amounts.

Q4. Is OEM service available?

Yes, we accept OEM orders. We also offer customization services when an ordered quantity reaches a certain amounts.

Q5. What is your MOQ?

It depends on the products. Please contact us directly for more information.

Q6. What are your payment terms?

We accept payments by T/T, L/C and D/P according to the agreements.

Q7. What is the delivery time?

Since we don't have many of our products in stock, production usually takes place after customer places the order. Therefore, the shipment will be around in 40-45 days.

Q8. What is the delivery terms?

We can accept FOB Xiamen, China or CIF basic port of destination.

Q9. How does your factory do regarding quality control?

Product quality is our lifeline. We have a specially-assigned team who dedicated themselves to the product quality control work. Each article has to go through a separate inspection at each production stage.



